
Digital B&W Multi Function Printer

RICOH MP 9003SP MP 7503SP MP 6503SP











Powerful × Tough

Impressive power and unwavering reliability

Now get the outstanding performance you would expect from top-of-the-line black & white multifunction printers. These machines boost your productivity with their high-speed output, fast reading capabilities, and a host of post-processing functions. As expected from core office machines, they give you high stability without any paper jams, and minimise downtime over long hours to continuously deliver output. And their Smart Operation Panel enables intuitive operation and ease of use.

Critical capabilities for business communications



- 1 Easy access via intuitive Smart Operation Panel.
- 2 Standard 4,300- sheet paper trays to avoid frequent refills.
- 3 2,000-sheet booklet maker with 65-page stapler.
- 4 Standard 100-sheet bypass tray for paper types up to 300 g/m².
- 5 Multi-folding unit supporting 6 folding patters for creative printing solutions.
- 6 Cover interposer to insert pre-printed colour sheets/covers.
- **7** USB/SD card reader to print from/scan to flash memory.
- 8 4,000-sheet A4 Large Capacity Tray for high volume productivity.

Innovating your workplace.

Workflow made seamless

Ricoh presents A3 B/W MFPs that are powerful and reliable, so that you can keep pace with your fast-paced work environment. Delivering professional level of output with high speeds of 65, 75 and 90 ppm, extra security and consistent quality. Enjoy all the benefits of an in-house production set-up with the ease of outsourced printing.



Smart technology

Get software capabilities that are customisable to your business needs. Ricoh's innovative 10.1" Smart Operation Panel will change the way you interact with your MFP. This user-friendly, tablet-style control panel improves your workflow with applike ease. Just touch, swipe, pinch, and get the job done.



Continuous quality, while controlling costs

These MFPs are fast and rich in functionality too. They include innovations like a multi-folding unit which can fold documents into a variety of different styles – including tri-fold, gatefold and four-fold. Users can create letters and invoices ready for envelope insertion, and avoid outsourcing of any complex print requirements.



Higher productivity

The built-in Human Detection Sensor allows the device to respond immediately to help you efficiently complete your tasks without any delay. Improved power saving technology also helps users to lower costs and maintain continuous high quality output.



Built in efficiency

Enjoy built-in features such as Book Copy to help erase shadows, enabling books and loose sheet originals to be scanned with the Single Pass Document Feeder. These are designed to minimise toner wastage and lower operating costs, while meeting deadlines. The machines boost your productivity with other features too, like large capacity trays and a fast scan speed.





RICOH MP 6503SP / MP 7503SP / MP 9003SP

MAIN SPECIFICATIONS

GENERAL

Warm-up time: 20/20/300 seconds
First output speed: 3.2/3.2/2.9 seconds
Continuous output speed: 65/75/90 pages per minute

 Memory:
 Standard: 2GB

 HDD:
 Standard: 320GB

 Dimensions (W x D x H):
 690 x 803 x 1,161 mm

Weight: 200 kg

Power source: 220 - 240 V, 50/60 Hz

PRINTER

Network protocol:

Printer language: Standard: PCL5e, PCL6, PDF direct print
Option: XPS, Adobe® PostScript® 3™, IPDS

Print resolution: Minimum 300 x 300 dpi
Maximum 1,200 x 1,200 dpi

Fonts: PCL (Scalable: 45 fonts, Bitmapped: 6 fonts,

International fonts: 13 fonts),

PS3 (136 Roman fonts), IPDS (108 fonts)
Interface: Standard: SD slot, USB Host I/F , Ethernet 10

base-T/100 base-TX/1000 base-T

Option: IEEE 1284, Wireless LAN (IEEE 802.11a/b/

g/n), USB 2.0 (Type B) TCP/IP (IP v4, IP v6)

Windows® environments: Windows® Vista, Windows® 7, Windows® 8,

Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012,

Windows® Server 2012R2

Mac OS environments: Macintosh OS X v10.7 or later (PS3™ required)

UNIX environments: UNIX Sun® Solaris

HP-UX SCO OpenServer RedHat® Linux IBM® AIX

SAP® R/3® environments: SAP® R/3®

Other supported environments: IBM iSeries/ AS/400-using OS/ 400 Host Print

Transform

Scanning speed: 120 ipm (Simplex) / 220 ipm (Duplex) originals

per minute
Resolution: Maximum 600 dpi
Original size: A3, A4, A5, B4, B5
Scan to: E-mail, Folder

COPIER

SCANNER

Copying process: Four laser beams scanning and electro-

photographic printing
Multiple copying: Up to 999 copies
Resolution: 600 dpi

Zoom: From 25% to 400% in 1% steps

FAX (OPTION)

Circuit: PSTN, PBX
Compatibility: ITU-T (CCITT) G3

Resolution: Standard: 8 x 3.85 line/mm, 200 x 100 dpi, 8 x 7.7

line/mm, 200 x 200 dpi

Option: 8 x 15.4 line/mm, 400 x 400 dpi, 16 x 15.4 line/mm,

400 x 400 dpi

Transmission speed: G3: 2 seconds (200 x 100 dpi, JBIG), G3: 3 seconds (200 x 100 dpi, MMR)

Modem speed: Maximum: 33.6 Kbps

PAPER HANDLING

Recommended paper size: Standard paper tray(s): A3, A4, A5

Bypass tray: A3, A4, A5, A6

Paper input capacity: Standard: 4,300 sheets

(1,550 x 2 tandem trays 550 x 2 trays 100 x 1 bypass tray) Maximum: 8,300 sheets Maximum: 3,500 sheets

Paper output capacity: Maximum: 3,500 sheets
Paper weight: Paper tray: 52 - 256 g/m²
Bypass tray: 52 - 300 g/m²

Duplex: 64 - 256 g/m²

ECOLOGY

Power consumption: Maximum: 1,900 W

Ready mode: 261/261/290W Low power mode: 165/167/198 W

Sleep mode: 0.9 W

TEC (Typical Electricity Consumption):

4.9/5.4/12.6kWh

SOFTWARE

One-stop solution for all your document management requirements.

Standard: SmartDeviceMonitor for print & scan, Web Image

Monitor, DMNX Lite

Optional: Card Authentication Package, EZ Charger Express,

Integrated Cloud Environment (ICE), Global Scan NX, Device Manager NX Pro/Enterprise/Accounting,

Steam Line NX, Equitrac, DICOM

OPTIONS

Cover Interposer Tray CI4030, Cover Interposer Tray CI4040, Finisher SR4120, Booklet Finisher SR4130, Output Jogger Unit Type M25, LCIT RT4040, XPS Direct Print Option Type M25, Fax Option Type M25, G3 Interface Unit Type M25, FAX Memory Unit Type M25 64MB, Fax Connection Unit Type M25, PostScript3 Unit Type M25, IPDS Unit Type M25, Copy Connector Type M25, External Keyboard Bracket Type M25, Finisher SR4080, Multi-Folding Unit FD4000, Output Jogger Unit Type 9002B, Punch Unit Type 1075 NA 3/2, Punch Unit Type 1075 EU 2/4, Punch Unit Type 850 S4, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, A3/11 " x 17" Tray Type 9001, 8 1/2 "x14" PAPER SIZE TRAY Type 9002, Copy Tray Type 9002, Mail Box Cs4010, ADF Handle Type C, IEEE 1284 Interface Board Type M19, IEEE 802.11a/g/n Interface Unit Type M19, USB Device Server Option Type M19, Extended USB Board Type M19, Unicode Font Package for SAP(R) 1 License, Unicode Font Package for SAP(R) 100 License, File Format Converter Type M19, DataOverwriteSecurity Unit Type M19, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Card Reader Bracket Type 3352, Key Counter Bracket, NFC Card Reader Type M19, Smart Card Reader Built-in Unit Type M19, Tab Sheet Holder Type 9002

For availability of models, options and software, please consult your local Ricoh representative.

























RICOH @Remote

ISO 9001:2000 certified ISO 14001 certified

Ricoh has designed these products to meet EC ENERGY STAR guidelines for energy efficiency.

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure.



URL: http://www.ricohafrica.com

For more information, please contact:

Gtech FZE

JebalAli Freezone, Dubai, United Arab Emirates Ph: +971 55 793 613 7 Email: sales@gtechfze.com